



Polypropylene

PP, Polypro, Polypropene

Description and Overview

Polypropylene is a versatile, lightweight thermoplastic with high strength, chemical, moisture and corrosion resistance. Polypropylene is easily vacuum formed, thermoformed, fabricated, hot air welded and machined.

Copolymer polypropylene provides outstanding toughness and performs well at temperatures as low as -220°F.

Homopolymer polypropylene is very strong and extremely resistant to chemicals, corrosion and heat.

Applications and Uses

Polypropylene is used in a wide variety of applications including packaging and labeling, orthotics and prosthetics, laboratory equipment, chemical tanks and automotive components.

- Chemical, plating and water tanks
- Semiconductor equipment
- Cabinets and work surfaces
- Orthotics and prosthetics

Fluted polypropylene is a lightweight and cost-effective solution for signage and packaging applications.

- Signage
- Construction
- Shelter
- Packaging
- Lamination



Polypropylene is available in copolymer & homopolymer sheets & rods. Fluted polypropylene is also available.

Full sheet: 48" x 96" (0.125" through 2.0" thick)
Rod: (0.125" through 4.0" diameter)


Properties and Specifications


| Property | Copolymer | Homopolymer |
|-----------------------------------|-----------|-------------|
| Specific Gravity | 0.91 | 0.91 |
| Water Absorption @ 24 hrs. | <0.1% | <0.1% |
| Tensile Strength @ Yield (psi) | 3,500 | 4,700 |
| Flexural Modulus (psi) | 155,000 | 180,000 |
| Continuous Operating Temp | 180°F | 180°F |
| Izod Impact, Notched (ft-lbs/in.) | 8.0 | 1.0 |
| Hardness, Rockwell | M70/R118 | M70/R118 |
| Affixable Properties | Mech | Mech |

Properties are typical.
Chem is an abbreviation for chemically affixed with glues, chemicals, or adhesive.
Mech is an abbreviation for mechanically affixed bonding.
Field testing is recommended for any application.

Rev 4 (09/7/2022)

330 Commerce Circle
Sacramento, CA 95815
800-742-3444
interstateam.com

 **WARNING:** This product can expose you to chemicals including Ethylene Oxide, CAS 75-21-8, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 **WARNING:** This product can expose you to chemicals including Ethylene Oxide, CAS 75-21-8, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



INTERSTATE
ADVANCED MATERIALS